

Notice of Allowability	Application No.	Applicant(s)	
	10/724,126	ZHANG ET AL.	
	Examiner	Art Unit	
	Duy-Vu N. Deo	1765	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to amendment and remarks filed 6/16/06.
2. The allowed claim(s) is/are 1, 2, 4-8, 11-13, 16-25.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 12-1-03
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

Duy-Vu N Deo
Primary Examiner
Art Unit: 1765



EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

please replace the abstract with this abstract:

A process for laser processing an article which comprises: heating the intended article to be doped with an impurity to a temperature not higher than the melting point thereof, said article being made from a material selected from a semiconductor, a metal, an insulator, and a combination thereof; and irradiating a laser beam to the article in a reactive gas atmosphere containing said impurity, thereby allowing the impurity to physically or chemically diffuse into, combine with, or intrude into said article. The present invention also provides an apparatus for use in a laser processing process, characterized by that it is provided with an internal sample holder and a device which functions as a heating means of the sample, a window made of a material sufficiently transparent to transmit a laser beam, a chamber comprising a vacuum evacuation device and a device for introducing a reactive gas containing an impurity element, a laser apparatus operating in a pulsed mode to irradiate a laser beam to said chamber, and a means to move said chamber synchronously with the laser irradiation.

In the page 1 of the specification, after the title, please insert this paragraph:

Art Unit: 1765

This application is a DIV of 09/356,376, filed 07/19/1999, now U.S. Pat. 6,655,767, which is a DIV of 09/145,543, filed 09/02/1998, now U.S. Pat. 6,358,784, which is a DIV of 08/411,973, filed 03/28/1995, now U.S. PAT 5,849,043, which is a DIV of 07/971,237, filed 11/04/1992, now U.S. PAT 5,424,244.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Duy-Vu N. Deo whose telephone number is 571-272-1462.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nadine Norton can be reached on 571-272-1465. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Duy-Vu N Deo
Primary Examiner
Art Unit 1765

8/16/06

